



**Caleb Cable can provide a range of professional packing for different cables and application, ranging from drum, reel, coil box, Easy-box, Un-reel box, metal rack and plastic box, etc. Materials can differ from wood, plywood, cardboard, plastic, shrinking film, etc. which all meet the RoHS standard.**

**With all materials available and rich knowledge in the business, we can also make tailored packing to meet your unique demand.**

## Packing Types




### Carton



### Easy Box



### Easy Reel




## Packing Types



### Coil



### Wooden Drum



### Dispenser




## Innovative Packing - Dispenser



- Easy to handle
- 100% recyclable
- Cost effective
- Environmentally friendly



## Description



### Reel dimensions:

- D1 = Flange diameter
- D2 = Barrel diameter
- W1 = Overall width
- W2 = Traverse
- C = Central bore





## Carton Reels



Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
C125-110	φ125 x 110 x φ50 mm	125 mm	110 mm	100 mm	50 mm	50 mm
C152-110	φ150 x 110 x φ80 mm	150 mm	110 mm	100 mm	80 mm	80 mm
C180-110	φ180 x 110 x φ80 mm	180 mm	110 mm	100 mm	80 mm	80 mm
C200-110	φ200 x 110 x φ80 mm	200 mm	110 mm	100 mm	80 mm	80 mm

## Packaging Details

C125-110	1 Pallet = 8R x 8R x 9L	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 576R/P = 11520R					
C152-110	1 Pallet = 7R x 6R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 336R/P = 6720R					
C180-110	1 Pallet = 6R x 6R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 288R/P = 5760R					
C200-110	1 Pallet = 6R x 5R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 240R/P = 4800R					

**Remark:**

R = Reel  
P = Pallet  
L = Layer





## Carton Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)
C245-120	φ245 x 120 x φ100 mm	245 mm	120 mm	110 mm	100 mm
C220-150	φ220 x 150 x φ75 mm	220 mm	150 mm	140 mm	75 mm
C280-120	φ280 x 120 x φ100 mm	280 mm	120 mm	110 mm	100 mm
C280-100	φ280 x 100 x φ80 mm	280 mm	100 mm	90 mm	80 mm

## Packaging Details

C245-120	1 Pallet = 5R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 160R/P = 3200R					
C220-150	1 Pallet = 5R x 5R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1050 mm
1 x 20' Container = 20P x 150R/P = 3000R					
C280-120	1 Pallet = 4R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 128R/P = 2560R					

**Remark:**  
R = Reel  
P = Pallet  
L = Layer



## Wooden Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
W250-240	φ250 x 240 x φ100	250 mm	240 mm	220 mm	100 mm	40 mm
W300-200	φ300 x 200 x φ100	300 mm	200 mm	180 mm	100 mm	40 mm
W350-160	φ350 x 160 x φ150	350 mm	160 mm	145 mm	150 mm	40 mm
W350-200	φ350 x 200 x φ150	350 mm	200 mm	180 mm	150 mm	40 mm
W400-200	φ400 x 200 x φ150	400 mm	200 mm	180 mm	150 mm	80 mm
W400-250	φ400 x 250 x φ150	400 mm	250 mm	230 mm	150 mm	40 mm
W500-200	φ500 x 200 x φ200	500 mm	200 mm	180 mm	200 mm	80 mm
W550-250	φ550 x 250 x φ200	500 mm	250 mm	220 mm	200 mm	80 mm
W550-320	φ550 x 320 x φ200	550 mm	320 mm	290 mm	200 mm	80 mm
W550-480	φ550 x 480 x φ250	550 mm	480 mm	450 mm	250 mm	80 mm

## Packaging Details

W240-240	1 Pallet = 4R x 5R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 80R/P = 1600R					
W300-200	1 Pallet = 4R x 3R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1150 mm
1 x 20' Container = 20P x 60R/P = 1200R					
W350-160	1 Pallet = 3R x 3R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 54R/P = 1080R					
W350-200	1 Pallet = 3R x 3R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1150 mm
1 x 20' Container = 20P x 45R/P = 900R					
W400-200	1 Pallet = 3R x 2R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	800 mm	1150 mm
1 x 20' Container = 22P x 30R/P = 660R					
W400-250	1 Pallet = 3R x 2R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	800 mm	1150 mm
1 x 20' Container = 22P x 24R/P = 528R					
W500-200	1 Pallet = 2R x 2R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1150 mm
1 x 20' Container = 20P x 20R/P = 400R					
W550-250	1 Pallet = 2R x 2R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1150 mm
1 x 20' Container = 20P x 16R/P = 320R					
W550-320	1 Pallet = 2R x 2R x 3L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 12R/P = 240R					
W550-480	1 Pallet = 2R x 2R x 2L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 8R/P = 160R					




## Wooden Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
W800-350	φ800 x 350 x φ300 mm	800 mm	350mm	320mm	300 mm	80 mm
W800-550	φ800 x 550 x φ400 mm	800 mm	550 mm	500 mm	400 mm	80 mm
W900-550	φ900 x 550 x φ400 mm	900 mm	550 mm	490 mm	400 mm	80 mm
W980-500	φ980 x 500 x φ400 mm	980 mm	500 mm	440 mm	400 mm	80 mm
W390-335	φ390 x 335 x φ150 mm	390 mm	335 mm	305 mm	150 mm	40 mm

## Packaging Details

W800-350	1 Pallet = 3R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	800 mm	950 mm
1 x 20' Container = 28P x 3R/P = 84R					
W800-550	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	800 mm	950 mm
1 x 20' Container = 28P x 2R/P = 56R					
W900-550	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1000 mm	1040 mm
1 x 20' Container = 20P x 2R/P = 40R					
W980-500	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 2R/P = 40R					

**Remark:**  
 R = Reel  
 P = Pallet  
 L = Layer



## Plastic Reels



Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
P195-95	φ195 x 95 x φ60 mm	195 mm	95 mm	90 mm	60 mm	60 mm
P120-130	φ120 x 130 x φ60 mm	120 mm	130 mm	120 mm	60 mm	30 mm
P235-120	φ235 x 120 x φ80 mm	235 mm	120 mm	100 mm	80 mm	70 mm
P295-225	φ295 x 225 x φ120 mm	295 mm	225 mm	200 mm	120 mm	40 mm
P165-130	φ165 x 130 x φ60 mm	165 mm	130 mm	120 mm	60 mm	30 mm
P300-165	φ300 x 165 x φ100 mm	300 mm	165 mm	155 mm	100 mm	30 mm

## Packaging Details

P195-95	1 Pallet = 6R x 5R x 10L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 300R/P = 6000R					
P120-130	1 Pallet = 10R x 8R x 7L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1100 mm
1 x 20' Container = 20P x 560R/P = 11200R					
P235-120	1 Pallet = 5R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 160R/P = 3200R					
P295-225	1 Pallet = 3R x 4R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1050 mm
1 x 20' Container = 20P x 48R/P = 1920R					
P165-130	1 Pallet = 7R x 6R x 7L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1100 mm
1 x 20' Container = 20P x 294R/P = 5880R					
P300-165	1 Pallet = 4R x 3R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 72R/P = 1440R					

**Remark:** R = Reel    P = Pallet    L = Layer

