

DELTA Classification Report



Reaction to fire classification report for electric cables: Cat 6A U/FTP 500 MHz FRNC

Performed for Caleb Cable Industrial Ltd.

Classification report no.: DK0199-EC-2016567 Page 1 of 9

20 October 2016

DELTA Venlighedsvej 4 2970 Hørsholm Denmark

Tel. (+45) 72 19 40 00 Fax (+45) 72 19 40 01 www.delta.dk/cable VAT No. 12275110





Headquarter, Hørsholm Denmark

Title	Reaction to fire classification report for electric cables					
Product area	Power, control and communication cables					
Product description	Screened communication cable (U/FTP) with solid conductors, 4 twisted pairs, LSZH jacket					
Product identification	Cat 6A U/FTP 500 MHz FRNC Part no. CCUFTPCAT6A4PB2					
Classification report no.	DK0199-EC-2016567					
Client	Caleb Cable Industrial Ltd. #107 Luyuan Rd, Ke Yuan Cheng Tangxia, Dongguan Guangdong China					
Contact	Alex Yuan, Jason Jia					
Specification	EN 13501-6:2014					
Results	Reaction to fire classification: B2 _{ca} -s1,d0					
Prepared by	Nis Jepsen					
Date	20 October 2016					
Responsible	Jans Aindoka Pedera					

Lars Lindskov Pedersen, Test Manager DELTA LAN Components and Systems Testing

	Table of content	Page
1.	Introduction	5
2.	Details of classified product	6
2.1	General	6
2.2	Product description	6
3.	Reports and results in support of this classification	7
3.1	Reports	7
3.2	Results	7
4.	Classification and field of application	8
4.1	Reference of classification	8
4.2	Classification	8
4.3	Field of application	8
5.	Limitations	9

1. Introduction

This classification report defines the classification assigned to

Product name	Cat 6A U/FTP 500 MHz FRNC
--------------	---------------------------

in accordance with the procedures given in EN 13501-6.

CLASSIFICATION OF REACTION TO FIRE

FOR ELECTRIC CABLES

IN ACCORDANCE WITH EN 13501-6

Sponsor	Caleb Cable Industrial Ltd. #107 Luyuan Rd, Ke Yuan Cheng Tangxia, Dongguan Guangdong China
Prepared by	DELTA Dansk Elektronik, Lys & Akustik (DELTA Danish Electronics, Light & Acoustics) Venlighedsvej 4 2970 Hørsholm DENMARK
Notified Body No.	0199
Product name	Cat 6A U/FTP 500 MHz FRNC
Classification report no.	DK0199-EC-2016567
Issue number	01
Date of issue	19 October 2016

This classification report consists of 9 pages and may only be used or reproduced in its entirety.

2. Details of classified product

2.1 General

The product, Cat 6A U/FTP 500 MHz FRNC, is defined as a

Type of productElectric cable intended for supply of communication in b			
ings and other civil engineering works with the objective limiting the generation and spread of fire and smoke			
	minimiting the generation and spread of the and smoke		

2.2 Product description

The product, Cat 6A U/FTP 500 MHz FRNC, is described in the reports provided in support of classification listed in Section 3.1.

3. Reports and results in support of this classification

3.1 Reports

Name of Laboratory	Name of sponsor	Report no.	Test method		
DELTA	Caleb Cable Industrial Ltd.	T213030-05	EN 60332-1-2:2004 +A1:2015 EN 50399:2012		

3.2 Results

Test method	Parameter	No.	Test method			
		tests	Continuous parameter – mean <i>m</i>	Compliance with parameters		
EN 60332-1-2	$H \le 425 \text{ mm}$	1	-	Compliant		
	$FS \le 1.5 \text{ m} (B2_{ca})$		0.46 m	Compliant		
EN 50399	$THR_{1200s} \le 15 \text{ MJ (B2_{ca})}$		3.2 MJ	Compliant		
	Peak HRR \leq 30 kW (B2 _{ca})		12.3 kW	Compliant		
	FIGRA \leq 150 W/s (B2 _{ca})	1	86.1 W/s	Compliant		
	$TSP_{1200s} \le 50 \text{ m}^2 \text{ (s1)}$		12.7 m ²	Compliant		
	Peak SPR $\le 0.25 \text{ m}^2/\text{s} (\text{s1})$		0.05 m ² /s	Compliant		
	Flaming droplets/particles No occurrences (d0)		-	Compliant		

4. Classification and field of application

4.1 Reference of classification

This classification has been carried out in accordance with EN 13501-6.

4.2 Classification

The product, Cat 6A U/FTP 500 MHz FRNC, in relation to its reaction to fire behaviour is classified:

B2_{ca}

The additional classification in relation to smoke production is:

s1

The additional classification in relation to flaming droplets / particles is:

d0

The additional classification in relation to acidity is:

N/A

The format of the reaction to fire classification for electric cables is:

Fire behaviour		Smo	oke production		Flaming droplets			Acidity	
B2 _{ca}	-	s	1	,	d	0	,	a	N/A

Reaction to fire Classification: B2_{ca}-s1,d0

4.3 Field of application

This classification is valid for the following product parameters as determined in the extended application process according to CLC/FprTS 50576:

Colour of jacket	Any
Colour of insulation	Any
Marking	Any

The classification is valid for all end use applications.

5. Limitations

This classification document does not represent type approval or certification of the product.

The classification assigned to the product in this report is appropriate to a declaration of conformity by the manufacturer within the context of system 3 attestation of conformity and CE marking under the Construction Products Regulation.

The test laboratory has, therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of the samples tested.