



Caleb Cable can provide a range of professional packing for different cables and application, ranging from drum, reel, coil box, Easy-box, Un-reel box, metal rack and plastic box, etc. Materials can differ from wood, plywood, cardboard, plastic, shrinking film, etc. which all meet the RoHS standard.

With all materials available and rich knowledge in the business, we can also make tailored packing to meet your unique demand.

Packing Types




Carton



Easy Box



Easy Reel



Packing Types



Coil



Wooden Drum



Dispenser




Innovative Packing - Dispenser



- Easy to handle
- 100% recyclable
- Cost effective
- Environmentally friendly



Description



Reel dimensions:

- D1 = Flange diameter
- D2 = Barrel diameter
- W1 = Overall width
- W2 = Traverse
- C = Central bore



Carton Reels



Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
C125-110	φ125 x 110 x φ50 mm	125 mm	110 mm	100 mm	50 mm	50 mm
C152-110	φ150 x 110 x φ80 mm	150 mm	110 mm	100 mm	80 mm	80 mm
C180-110	φ180 x 110 x φ80 mm	180 mm	110 mm	100 mm	80 mm	80 mm
C200-110	φ200 x 110 x φ80 mm	200 mm	110 mm	100 mm	80 mm	80 mm

Packaging Details

C125-110	1 Pallet = 8R x 8R x 9L	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 576R/P = 11520R					
C152-110	1 Pallet = 7R x 6R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 336R/P = 6720R					
C180-110	1 Pallet = 6R x 6R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 288R/P = 5760R					
C200-110	1 Pallet = 6R x 5R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 240R/P = 4800R					

Remark:

R = Reel
P = Pallet
L = Layer





Carton Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)
C245-120	φ245 x 120 x φ100 mm	245 mm	120 mm	110 mm	100 mm
C220-150	φ220 x 150 x φ75 mm	220 mm	150 mm	140 mm	75 mm
C280-120	φ280 x 120 x φ100 mm	280 mm	120 mm	110 mm	100 mm
C280-100	φ280 x 100 x φ80 mm	280 mm	100 mm	90 mm	80 mm

Packaging Details

C245-120	1 Pallet = 5R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 160R/P = 3200R					
C220-150	1 Pallet = 5R x 5R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1050 mm
1 x 20' Container = 20P x 150R/P = 3000R					
C280-120	1 Pallet = 4R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 128R/P = 2560R					

Remark:
R = Reel
P = Pallet
L = Layer



Wooden Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
W250-240	φ250 x 240 x φ100	250 mm	240 mm	220 mm	100 mm	40 mm
W300-200	φ300 x 200 x φ100	300 mm	200 mm	180 mm	100 mm	40 mm
W350-160	φ350 x 160 x φ150	350 mm	160 mm	145 mm	150 mm	40 mm
W350-200	φ350 x 200 x φ150	350 mm	200 mm	180 mm	150 mm	40 mm
W400-200	φ400 x 200 x φ150	400 mm	200 mm	180 mm	150 mm	80 mm
W400-250	φ400 x 250 x φ150	400 mm	250 mm	230 mm	150 mm	40 mm
W500-200	φ500 x 200 x φ200	500 mm	200 mm	180 mm	200 mm	80 mm
W550-250	φ550 x 250 x φ200	500 mm	250 mm	220 mm	200 mm	80 mm
W550-320	φ550 x 320 x φ200	550 mm	320 mm	290 mm	200 mm	80 mm
W550-480	φ550 x 480 x φ250	550 mm	480 mm	450 mm	250 mm	80 mm

Packaging Details

W240-240	1 Pallet = 4R x 5R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 80R/P = 1600R					
W300-200	1 Pallet = 4R x 3R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1150 mm
1 x 20' Container = 20P x 60R/P = 1200R					
W350-160	1 Pallet = 3R x 3R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 54R/P = 1080R					
W350-200	1 Pallet = 3R x 3R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1150 mm
1 x 20' Container = 20P x 45R/P = 900R					
W400-200	1 Pallet = 3R x 2R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	800 mm	1150 mm
1 x 20' Container = 22P x 30R/P = 660R					
W400-250	1 Pallet = 3R x 2R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	800 mm	1150 mm
1 x 20' Container = 22P x 24R/P = 528R					
W500-200	1 Pallet = 2R x 2R x 5L	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1150 mm
1 x 20' Container = 20P x 20R/P = 400R					
W550-250	1 Pallet = 2R x 2R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1150 mm
1 x 20' Container = 20P x 16R/P = 320R					
W550-320	1 Pallet = 2R x 2R x 3L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 12R/P = 240R					
W550-480	1 Pallet = 2R x 2R x 2L	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1100 mm	1140 mm
1 x 20' Container = 20P x 8R/P = 160R					


Wooden Reels

Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
W800-350	φ800 x 350 x φ300 mm	800 mm	350mm	320mm	300 mm	80 mm
W800-550	φ800 x 550 x φ400 mm	800 mm	550 mm	500 mm	400 mm	80 mm
W900-550	φ900 x 550 x φ400 mm	900 mm	550 mm	490 mm	400 mm	80 mm
W980-500	φ980 x 500 x φ400 mm	980 mm	500 mm	440 mm	400 mm	80 mm
W390-335	φ390 x 335 x φ150 mm	390 mm	335 mm	305 mm	150 mm	40 mm

Packaging Details

W800-350	1 Pallet = 3R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	800 mm	950 mm
1 x 20' Container = 28P x 3R/P = 84R					
W800-550	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	800 mm	950 mm
1 x 20' Container = 28P x 2R/P = 56R					
W900-550	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1100 mm	1000 mm	1040 mm
1 x 20' Container = 20P x 2R/P = 40R					
W980-500	1 Pallet = 2R	Pallet size: (+/-20 mm)	Length	Width	Height
			1000 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 2R/P = 40R					

Remark:
R = Reel
P = Pallet
L = Layer



Plastic Reels



Reel type	Dimension	Flange diam (D1)	Overall width (W1)	Traverse (W2)	Barrel diam (D2)	Central bore (C)
P195-95	φ195 x 95 x φ60 mm	195 mm	95 mm	90 mm	60 mm	60 mm
P120-130	φ120 x 130 x φ60 mm	120 mm	130 mm	120 mm	60 mm	30 mm
P235-120	φ235 x 120 x φ80 mm	235 mm	120 mm	100 mm	80 mm	70 mm
P295-225	φ295 x 225 x φ120 mm	295 mm	225 mm	200 mm	120 mm	40 mm
P165-130	φ165 x 130 x φ60 mm	165 mm	130 mm	120 mm	60 mm	30 mm
P300-165	φ300 x 165 x φ100 mm	300 mm	165 mm	155 mm	100 mm	30 mm

Packaging Details

P195-95	1 Pallet = 6R x 5R x 10L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 300R/P = 6000R					
P120-130	1 Pallet = 10R x 8R x 7L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1100 mm
1 x 20' Container = 20P x 560R/P = 11200R					
P235-120	1 Pallet = 5R x 4R x 8L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 160R/P = 3200R					
P295-225	1 Pallet = 3R x 4R x 4L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1050 mm
1 x 20' Container = 20P x 48R/P = 1920R					
P165-130	1 Pallet = 7R x 6R x 7L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1100 mm
1 x 20' Container = 20P x 294R/P = 5880R					
P300-165	1 Pallet = 4R x 3R x 6L	Pallet size: (+/-20 mm)	Length	Width	Height
			1200 mm	1000 mm	1140 mm
1 x 20' Container = 20P x 72R/P = 1440R					

Remark: R = Reel P = Pallet L = Layer

